

Press Release Images

Image**Image Name****Description**

Image1.jpg

The high-quality TECTUS® hinge, fully concealed and fully 3-way adjustable is available in a variety of finishes. This hinge with maintenance free bearings is UL® listed and can carry sash weights up to 200 kg (440 lbs.)



Image2.jpg

The TECTUS® fully-concealed hinge provides adjustment for a perfect margin between the door and the frame. It offers the possibility to make doors disappear in a wall.



Image3.jpg

The 2-way adjustable SIMONSWERK ULTIMATE® hinge has been integrated millions of times in the United States and Canada in hinged patio doors. It is available in a large number of finishes and in three base materials; steel, stainless steel, and brass

Press Release Images



Image4.jpg

Visit of Whitewater City Manager Kevin Brunner and CDA Coordinator Mary Nimm June 22nd 2011 at SIMONSWERK North America in Whitewater.
From left to right: Wolfgang Bruns, Export Manager SIMONSWERK Germany, Rudy Kessler, CEO SIMONSWERK North America, Inc., Michael Meier, CEO SIMONSWERK-Group, Mary Nimm CDA Coordinator Whitewater, Wisconsin, Kevin Brunner – City Manager Whitewater, Wisconsin



Image5.jpg

SIMONSWERK Corporate Headquarters facility in Rheda-Wiedenbrueck, Germany.



Image6.jpg

SIMONSWERK corporate logo.



Image7.jpg

The state of the art manufacturing of SIMONSWERK hinges.

Press Release Images



Image8.jpg

Hinge production within the
SIMONSWERK facility in Germany.