

Aquatic Center Proposal



Review Date: 6/26/23

Years of Extension:
<ul style="list-style-type: none">The school District will provide a 6 year agreement with the City.
Maintenance of Facilities:
<ul style="list-style-type: none">WUSD will be responsible for roof repair and replacement of sections 18, 19, 20, 22, 23 and 24- \$590,000WUSD will be responsible for the parking lot maintenance and replacement. (approx. \$250,000 replacement cost, due to be replaced 2029-31)The City will cover all their equipment: cardio equipment, water slide, office, pool fixtures, etc.Each facility will have their own HVAC equipment at the end of two years- this will require WUSD to upgrade controls to more current Direct Digital Control (DDC) technology. Each entity bears future costs of repairs and replacement of their "own" HVAC unit.WUSD will take the two older boilers and be responsible for their overhaul and maintenance. (Boiler 3 and 4)Locker rooms will be assigned and maintained by each party, with the City responsible for the public locker room, and the District responsible for the high school locker room.
6 year Costs Incurred by WUSD:
<ul style="list-style-type: none">½ of Utility Costs for years 1 & 2: approx. \$202,934 (Continue splitting utilities for water and electric post year 2 until meters updated)Utility Costs 3-6 : \$405,868 (Based on prior year estimates)Roof repair and replace: \$590,000Parking Lot Maintenance: \$10,000 first year (based on this year's parking lot quotes)2 new Boilers and associated pipe work: \$300,000 <p>-----</p> <p>\$1,508,802.00</p>
6 year Costs Incurred by the City:
<ul style="list-style-type: none">Capital Contribution: \$100,000/year = \$600,000½ of Utility Costs for years 1 & 2: approx. \$202,934 (Continue splitting utilities for water and electric post year 2 until meters updated)Utility Costs 3-6 : \$405,868 (Based on prior year estimates) <p>-----</p> <p>\$1,208,802.00</p>
Revenue Breakout:
<ul style="list-style-type: none">All revenue for the Recreational facility and Fitness Center will go to the City.As proposed by the City on June 21st, all operational overruns will be borne by the City
Community Survey:
<ul style="list-style-type: none">In the case an agreement is not reached on 7/13/23 a community survey may be issued by WUSD's 3rd party survey provider in order to obtain community voice on the direction of the agreement.
Chemical Maintenance:
<ul style="list-style-type: none">WUSD will be responsible for the chemical maintenance for the Lap Pool.

- The City will be responsible for the chemical maintenance for the Recreational Pool.
- Until WUSD staff are trained, we cover the cost for Carrico based on the lap pool portion of the bill.

Meters and Utility Split:

- Meters and utilities will be split 50/50 until July 1, 2025. In June 2025, WUSD will update the two older boilers, install a new gas meter, HVAC controls and piping.
- Until the meter split, the City must notify WUSD of any work in maintenance room.

Operating Hours:

- Operating hours of the Lap Pool will be governed by the WUSD [Board Policy 830](#) and [830 Exhibit \(1\)](#) in which: ***City of Whitewater Parks and Recreation and Whitewater Traveling (Scheduling Priority 2) and Non-Profit Community Organizations (Scheduling Priority 3): No Charge for facility usage.*** The City will be required to staff hours they book our facilities and provide proper insurance according to the policy.
- We will continue to honor existing time commitments in the current arrangement.

Summer School:

- WUSD will plan, staff and run its own summer school swim courses. As per our current agreement, we would continue to ask to use a small portion of the Recreational Pool for our youngest swimmers during summer school.

Staffing and Lifeguards:

- According to [Board Policy 830](#) and [830 Exhibit \(1\)](#), staffing must be provided by the renter of our facility or at the determined Board approved rate of \$50/hour for LifeGuard staffing.

Insurance:

- WUSD will be insured for the Lap Pool. (Becoming primary insured rather than secondary)